Diving Beetle Game
VIEW DESIGN USE MODIFY Page 1



condition-starts-action

VIEW DESIGN

Have a look at the design of this game. Answer the questions below.

Idea Level *My game will... My characters will be... The aim of the game will be....*

A beetle tries to catch a small fish whilst avoiding clouds of pollution.

Design Level What will your characters do?

Beetle – Move ① – Touch pollution end game
② – Turn right right arrow key
③ – Turn left left arrow key
④ – Touch fish end game

fish – touch beetle hide ⑤
– Move + bounce ⑥
– Touch pollution ⑦

Pollution – start anywhere move faster.
– Move any direction

Design Level (Draw your game simply and use **condition-starts-action** in your algorithms)

① Beetle Move
Loop always
move ½ step
Bounce on edge

② Loop always
if press right arrow
turn right 20°

③ Loop always
if press left arrow
turn left 20°

④ Loop always
if touch fish sprite
end game

⑤ Loop always
if touch beetle
hide

Beetle
start
(x+y)

⑥ Loop always
Move 2 steps
Bounce

⑦ Loop always
if touch colour
of pollution
Move Move steps

fish start
(x+y)

Pollution

Random

Initialisation Jot down how your sprites will always start in the same place

x+y blocks for start of fish and Beetle.

1, Circle all the conditions inside loops that you can see.

2, Underline all the initialisation (thinking about start positions or clearing old program effects) you can see.

Name

Now mark your view design work using the answer sheep

CC BY NC ND code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY Page 2
Start Scratch and load divingbeetle



condition-starts-action

USE the code (Run the programs lots of times but don't change the code)

Look at the code inside Diving Beetle sprite

1, What is the first thing that will happen if the diving beetle touches the Fish1 sprite?

2, What loop are all the if then condition-starts-action blocks inside?

3, Which block **hasn't** got a condition?

4, What happens if you press the right arrow key?

Look at the code inside Fish1 sprite

Fish1 Sprite Questions

1, What direction is the Fish1 sprite pointing at the start of the game?

2, How many if then condition-starts-action blocks are there in the Fish1 code?

3, If Fish1 touches the colour grey how many steps will it move? *HINT all moves are added together*

4, If Fish1 touches the diving beetle what two things happen?

Look at the code inside pollution1 sprite

pollution1 Sprite Questions

1, What size does the pollution1 sprite start at?

2, After one second what size will the pollution1 sprite be?

3, How fast does the pollution1 sprite move?

Now mark your investigate work using the answer sheep

Name

code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY Page 3



condition-starts-action

MODIFY (Run the code and make small changes)

Diving Beetle Questions

1, Can you make the diving beetle move faster? What did you change?

2, Can you make the diving beetle turn slower? What did you change?

3, Can you make the diving beetle point to the left when it starts? What did you change?

Fish1 Sprite Questions

1, Can you make the Fish1 sprite move faster? What did you change?

2, Can you make the Fish1 sprite say oh no! when it is caught by the diving beetle? What did you change?

pollution1 Questions

1, Modify the code in pollution1 can you make it start at 200%. What did you change? Is this a good idea? If yes or no why?

2, Modify the code in pollution1 so it starts at 300% and get smaller every second. What did you change to make it get smaller?

3, Make pollution1 always move down. What did you change?

Make inside
Convert these algorithm plans into code inside pollution2 so the sprite can be steered

```
Green flag start
Loop always
    If s pressed
        Turn right 10
```

```
Green flag start
Loop always
    If a pressed
        Turn left 10
```

Now mark this page using the answer sheep

Name

CC BY NC ND code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY Page 4

You can share design ideas but must plan and code separately



condition-starts-action

CREATE

Design and code your own game that uses **condition-starts-actions**.
You can adapt any ideas from the Diving Beetle or other games.

Idea Level *My game will… My characters will be… The aim of the game will be….*

What will your characters do?

Design Level (Draw your game simply and add **condition-starts-action** algorithms)

Initialisation Jot down how your sprites will always start in the same place

Name

CC BY NC ND code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY Page 1



condition-starts-action

VIEW DESIGN ANSWER PAGE

Have a look at the design of this game. Answer the questions below.

Idea Level *My game will... My characters will be... The aim of the game will be....*

A beetle tries to catch a small fish whilst avoiding clouds of pollution.

Design Level What will your characters do?

Beetle – Move ① – Touch pollution end game
② – Turn right right arrow key
③ – Turn left left arrow key
④ – Touch fish end game

fish – touch beetle hide ⑤
– Move + bounce ⑥
– Touch pollution move (water) ⑦

Pollution – start anywhere
– Move any direction

Design Level (Draw your game simply and use **condition-starts-action** in your algorithms)

① Beetle Move
Loop always
move ½ step
Bounce on edge

② Loop always
if press right arrow
turn right 20°

③ Loop always
if press left arrow
turn left 20°

④ Loop always
if touch fish sprite
end game

⑤ Loop always
if touch beetle
hide

Beetle start (x+y)

⑥ Loop always
Move 2 steps
Bounce

⑦ Loop always
if touch colour
of pollution
Move Move steps

fish start (x+y)

Pollution

Random

Initialisation Jot down how your sprites will always start in the same place

x+y blocks for start of fish and Beetle.

1, Circle all the conditions inside loops that you can see. (Max 5 marks)

2, Underline all the initialisation (thinking about start positions or clearing old program effects) you can see. (2 marks)

CC BY NC ND code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY CREATE Answer



condition-starts-action

USE Answers

Look at the code inside Diving Beetle sprite

1, What is the first thing that will happen if the diving beetle touches the Fish1 sprite?

Say Beetle wins for 2 seconds (1 mark)

2, What loop are all the if then condition starts action blocks inside?

Forever loops or continuous loops (1 mark)

3, Which block section **hasn't** got a condition?

Go to x y, move 1 step section (1 mark)

5, What happens if you press the right arrow key?

Turn right 15 degrees (1 mark)

USE Answers

Look at the code inside Fish1 sprite

Fish1 Sprite Questions

1, What direction is the Fish1 sprite pointing at the start of the game?

90 degrees or right (1 mark)

2, How many if then condition-starts-action blocks are there in the Fish1 code?

2 (1 mark)

3, If Fish1 touches the colour grey how many steps will it move? (HINT all moves are added together)

1.5 steps it combines both move blocks (1 mark)

4, If Fish1 touches the diving beetle what two things happen?

Wait 1 second

Hide (1 mark for both)

USE Answers

Look at the code inside pollution1 sprite

pollution1 Sprite Questions

1, What size does the pollution1 sprite start at?

100% (1 mark)

2, After one second what size will the pollution1 sprite be?

110% (1 mark)

3, How fast does the pollution1 sprite move?

0.2 steps (1 mark)

BY NC ND code-it.co.uk

Diving Beetle Game
VIEW DESIGN USE MODIFY CREATE Answer



condition-starts-action

Modify (Run the code and make small changes)

Diving Beetle Questions
1, Can you make the diving beetle move faster? What did you change?
Move more than 1 step (1 mark)
2, Can you make the diving beetle turn slower? What did you change?
Change 15 degrees right or left to lower number (1 mark)
3, Can you make the diving beetle point to the left when it starts? What did you change?
Change point in direction to –90 (1 mark)

Fish1 Sprite Questions
1, Can you make the Fish1 sprite move faster? What did you change?
Move more than 0.5 step (1 mark)
2, Can you make the Fish1 sprite say oh no! when it is caught by the diving beetle? What did you change?
Add say oh no! for some seconds inside the if touching diving beetle condition and above wait 1 second (1 mark)

pollution1 Questions
1, Modify the code in pollution1 can you make it start at 200%. What did you change? Is this a good idea? If yes or no why?
Change set size to 200% (1 mark)
2, Modify the code in pollution1 so it starts at 300% and get smaller every second. What did you change to make it get smaller?
Change size by minus number % eg –10 (1 mark)
3, Make pollution1 always move down. What did you change?
Point in direction 180 (1 mark)

BY NC ND code-it.co.uk